

Certificate of Analysis



Customer Information

Client: MitraMan Botanicals
Attention: (512) 200-1032
Address: PO Box 8305
 Round Rock, TX 78683

Testing Facility

Lab: Cora Science, LLC
Address: 8000 Anderson Square, STE 113
 Austin, Texas 78757
Contact: info@corascience.com
 (512) 856-5007

Sample Image(s)



Sample Information

Name: White Maeng Da
Lot Number: 0424
Description: Finely ground plant material
Condition: Good
Job ID: ISO01864
Sample ID: I04052
Received: 26MAR2024
Completed: 30MAR2024
Issued: 01APR2024

Test Results

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 30MAR2024 | 0851

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	1.76	w/w%	0.011	N/A
7-Hydroxymitragynine	Report Results	0.008	w/w%	0.003	N/A
Paynantheine	Report Results	0.336	w/w%	0.011	N/A
Speciogynine	Report Results	0.252	w/w%	0.011	N/A
Speciociliatine	Report Results	0.349	w/w%	0.011	N/A
Total Mitragyna Alkaloids	Report Results	2.70	w/w%	0.011	N/A

Microbiological Examination

Method Code: T005

Tested: 26MAR2024 | 1254

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	10,000,000 CFU/gram	26,000	CFU/gram	20 CFU/gram	PASS
Total Yeast & Mold	100,000 CFU/gram	3,800	CFU/gram	20 CFU/gram	PASS
Total Coliforms	10,000 CFU/gram	390	CFU/gram	20 CFU/gram	PASS
Escherichia coli	Not Detected in 10 grams	Not Detected	N/A	1 CFU/10 grams	PASS
Salmonella	Not Detected in 25 grams	Not Detected	N/A	1 CFU/25 grams	PASS

Elemental Impurities (ICP-MS)

Method Code: T301

Tested: 30MAR2024 | 1638

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Arsenic	NMT 10	0.39	ug/day	0.24	PASS
Cadmium	NMT 4.1	<LOQ	ug/day	0.047	PASS
Lead	NMT 6.0	0.76	ug/day	0.047	PASS
Mercury	NMT 2.0	0.20	ug/day	0.047	PASS

Additional Report Notes

T301 performed by a registered outsourcing facility. T301 result, unit, and LOQ converted from ug/g to ug/day using a maximum permitted daily exposure of 5.0 g/day.

Revision History

rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:



Position:

Laboratory Director

Department:

Management

Name:

Tyler West

Date:

01APR2024