



Certificate of Analysis

Customer Information

Client: MitraMan Botanicals
Attention: (512) 200-1032
Address: PO Box 8305
Round Rock, TX 78683

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: Kava Extract #1
Lot Number: 0925
Description: Powdered botanical extract
Condition: Good
Job ID: ISO04937
Sample ID: I13563
Received: 09SEP2025
Completed: 13SEP2025
Issued: 15SEP2025

Test Results

Kavalactones (UHPLC-DAD)

Method Code: T104

Tested: 13SEP2025 | 0850

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Kavain	Report Results	10.2	w/w%	0.18	N/A
Dihydrokavain	Report Results	7.47	w/w%	0.18	N/A
Methysticin	Report Results	2.85	w/w%	0.18	N/A
Dihydromethysticin	Report Results	2.66	w/w%	0.18	N/A
Yangonin	Report Results	3.83	w/w%	0.18	N/A
Desmethoxyyangonin	Report Results	3.62	w/w%	0.18	N/A
Flavokawain A	Report Results	0.278	w/w%	0.16	N/A
Flavokawain B	Report Results	0.448	w/w%	0.16	N/A
Flavokawain C	Report Results	<LOQ	w/w%	0.16	N/A
Total Kavalactones	Report Results	30.7	w/w%	0.18	N/A

Residual Solvents: Class I (GC-MS)

Method Code: T201

Tested: 10SEP2025 | 0317

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS

Residual Solvents: Class II (GC-MS)

Method Code: T201

Tested: 10SEP2025 | 0317

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Methanol	NMT 3000	<LOQ	ug/g	75	PASS
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	47	PASS
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	47	PASS
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS
Methylcyclohexane	NMT 1180	<LOQ	ug/g	30	PASS
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS
Toluene	NMT 890	<LOQ	ug/g	22	PASS
Chlorobenzene	NMT 360	<LOQ	ug/g	9.0	PASS
Ethylbenzene	NMT 2170	<LOQ	ug/g	54	PASS
o/p-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
m-Xylene	NMT 2170	<LOQ	ug/g	54	PASS
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.8	PASS
Hexane	NMT 290	<LOQ	ug/g	7.3	PASS
Nitromethane	NMT 50	<LOQ	ug/g	1.3	PASS
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	2.0	PASS
Pyridine	NMT 200	<LOQ	ug/g	5.0	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	5.0	PASS
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS

Residual Solvents: Class III (GC-MS)		Method Code: T201		Tested: 10SEP2025 0317		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Pentane	NMT 5000	<LOQ	ug/g	125	PASS	
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS	
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
Acetone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS	
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS	
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS	
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS	
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Heptane	NMT 5000	<LOQ	ug/g	125	PASS	
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS	
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS	
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS	
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS	
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Anisole	NMT 5000	<LOQ	ug/g	125	PASS
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS

Additional Report Notes

N/A

Revision History


rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
Name:	Tyler West	Department:	Management
		Date:	15SEP2025