



Certificate of Analysis

Customer Information

Client: MitraMan Botanicals
Attention: (512) 200-1032
Address: PO Box 8305
Round Rock, TX 78683

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: Corydalis Extract #1
Lot Number: 0526
Description: Powder botanical extract
Condition: Good
Job ID: ISO07477
Sample ID: I20911
Received: 25JUN2026
Completed: 30JUN2026
Issued: 02JUL2026

Test Results

Residual Solvents: Class I (GC-MS)		Method Code: T201		Tested: 30JUN2026 0456		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS	
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS	
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS	
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS	
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS	

Residual Solvents: Class II (GC-MS)		Method Code: T201		Tested: 30JUN2026 0456		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Methanol	NMT 3000	<LOQ	ug/g	75	PASS	
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS	
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS	
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	46.75	PASS	
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	46.75	PASS	
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS	
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS	
Methylcyclohexane	NMT 1180	<LOQ	ug/g	29.5	PASS	
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS	
Toluene	NMT 890	<LOQ	ug/g	22.25	PASS	
Chlorobenzene	NMT 360	<LOQ	ug/g	9	PASS	
Ethylbenzene	NMT 2170	<LOQ	ug/g	54.25	PASS	
o/p-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS	
m-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS	
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.75	PASS	

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Hexane	NMT 290	<LOQ	ug/g	7.25	PASS
Nitromethane	NMT 50	<LOQ	ug/g	1.25	PASS
Chloroform	NMT 60	<LOQ	ug/g	1.5	PASS
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS
Trichloroethene	NMT 80	<LOQ	ug/g	2	PASS
Pyridine	NMT 200	<LOQ	ug/g	5	PASS
2-Hexanone	NMT 50	<LOQ	ug/g	5	PASS
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS
Total Xylenes	NMT 2170	<LOQ	ug/g	54	PASS

Residual Solvents: Class III (GC-MS)		Method Code: T201		Tested: 30JUN2026 0456		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Pentane	NMT 5000	<LOQ	ug/g	125	PASS	
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS	
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
Acetone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS	
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS	
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS	
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS	
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Heptane	NMT 5000	<LOQ	ug/g	125	PASS	
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS	
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS	
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS	
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS	
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS	
Anisole	NMT 5000	<LOQ	ug/g	125	PASS	

Microbial Examination		Method Code: T005		Tested: 29JUN2026 0828		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Total Aerobic Plate Count	NMT 10,000 CFU/g	60	CFU/g	20 CFU/g	PASS	
Total Yeast and Mold	NMT 1,000 CFU/g	100	CFU/g	20 CFU/g	PASS	
Total Coliforms	NMT 100 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS	
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS	
Salmonella spp.	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS	

Additional Report Notes

N/A

Revision History


Report ID: 0f2a54f4-5d0d-48e6-be6a-5517b46af658
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
Name:	Tyler West	Department:	Management
		Date:	02JUL2026